Freshwater Biology (1997) **37**, 711–713

Author Index to Volume 37

ALLAN, J.D. and JOHNSON, L.B. Catchment-scale analysis of aquatic ecosystems, 107
ALLAN, J.D., ERICKSON, D.L. and FAY, J. The influence of catchment land use on stream integrity across multiple spatial scales, 149
AMYOT, J.-P. and DOWNING, J.A. Seasonal variation in vertical and horizontal movement of the freshwater bivalve *Elliptio complanata* (Mollusca: Unionidae), 345
ANDERSON, F.Ø. *see* HANSEN, A.-M.
ANGERMEIER, P.L. and WINSTON, M.R. Assessing conservation value of stream communities: a comparison of approaches based on centres of density and species richness, 699
ARBUCKLE, C.J. *see* TOWNSEND, C.R.
ARTHUR, J.W. *see* JOHNSON, L.B.

BAUMGARTNER, J.V. *see* RICHTER, B.D.
BEFFY, J.-L. *see* DOLE-OLIVIER, M.-J.
BENSON, B.J. *see* KRATZ, T.K.
BLANC, P. *see* CLARET, C.
BLANCO, G. *see* FAUNDEZ, V.
BLINN, D.W. *see* OBERLIN, G.E.
BOISSIER, J.-M. *see* CLARET, C.
BOWSER, C.J. *see* KRATZ, T.K.
BRAUN, D.P. *see* RICHTER, B.D.
BRUNKE, M. and GONSER, T. The ecological significance of exchange processes between rivers and groundwater, 1

CAPRA, H. *see* STATZNER, B.
CASH, K.J. *see* SCRIMGEOUR, G.J.
CLARET, C., MARMONIER, P., BOISSIER, J.-M., FONTVIEILLE, D. and BLANC, P. Nutrient transfer between parafluvial interstitial water and river water: influence of gravel bar heterogeneity, 657
CLEMENTS, W.H. *see* KIFFNEY, P.M.
COOPER, P.D. *see* CRANSTON, P.S.
COVICH, A.P. *see* JOHNSON, S.L.
CRANSTON, P.S., COOPER, P.D., HARDWICK, R.A., HUMPHREY, C.L. and DOSTINE, P.L. Tropical acid streams – the chironomid (Diptera) response in northern Australia, 473
CROWL, T.A. *see* TOWNSEND, C.R.
CULP, J.M. *see* SCRIMGEOUR, G.J.

DOLÉDEC, S. *see* TOWNSEND, C.R.
DOLE-OLIVIER, M.-J., MARMONIER, P. and BEFFY, J.-L. Response of invertebrates to lotic disturbance: is the hyporheic zone a patchy refugium, 257
DOSTINE, P.L. *see* CRANSTON, P.S.
DOWNING, J.A. *see* AMYOT, J.-P.
DOWNING, J.A. *see* KESLER, D.H.

ENGLUND, G., MALMQVIST, B. and ZHANG, Y. Using predictive models to estimate effects of flow regulation on net-spinning caddis larvae in North Swedish rivers, 687
ERICKSON, D.L. *see* ALLAN, J.D.
EVANS, L.J. and NORRIS, R.H. Prediction of benthic macroinvertebrate composition using microhabitat characteristics derived from stereo photography, 621

FAAFENG, B.A. *see* MJELDE, M.
FAUNDEZ, V., BLANCO, G., VÁZQUEZ, E. and SÁNCHEZ, J.A. Allozyme variability in brown trout *Salmo trutta* in Chile, 507
FAY, J. *see* ALLAN, J.D.
FONTVIEILLE, D. *see* CLARET, C.
FRUTIGER, A. *see* MATTHAEI, C.D.

GAGE, S.H. and JOHNSON, L.B. Landscape approaches to the analyses of aquatic ecosystems, 113
GIBSON, C.E. and GUILLOT, J. Sedimentation in a large lake: the importance of fluctuations in water level, 597
GONSER, T. *see* BRUNKE, M.
GRANDJEAN, F., SOUTY-GROSSET, C., RAIMOND, R., HOLDICH, D.M. Geographical variation of mitochondrial DNA between populations of the white-clawed crayfish *Austropotamobius pallipes*, 493
GRUBAGH, J.W., WALLACE, J.B. and HOUSTON, E.S. Production of benthic macroinvertebrate communities along a southern Appalachian river continuum, 581
GUILLOT, J. *see* GIBSON, C.E.

HANSEN, A.-M., ANDERSEN, F.Ø. and JENSEN, H.S. Seasonal pattern in nutrient limitation and grazing control of the phytoplankton community in a non-stratified lake, 523
HANSSON, L.-A. and TRANVIK, L.J. Algal species composition and phosphorous recycling at contrasting grazing pressure: an experimental study in sub-Antarctic lakes with two trophic levels, 45
HARDWICK, R.A. *see* CRANSTON, P.S.
HARKER, J.E. The role of parthenogenesis in the biology of two species of mayfly (Ephemeroptera), 287
HARO, R.J. *see* RICHARDS, C.
HAWES, I. *see* RØRSLETT, B.
HEIN, M. Inorganic carbon limitation of photosynthesis in lake phytoplankton, 545
HIETALA, J. *see* LAURÉN-MÄÄTTÄ, C.
HIETALA, J., LAURÉN-MÄÄTTÄ, C. and WALLS, M. Sensitivity of Daphnia to toxic cyanobacteria: effects of genotype and temperature, 299
HIGLER, L.W.G. *see* STATZNER, B.
HILDREW, A.G. *see* WINTERBOTTOM, J.H.
HINRICHS, B.D. *see* PIERCE, C.L.

© 1997 Blackwell Science Ltd

HOLDICH, D.M. *see* GRANDJEAN, F.
HOST, G.E. *see* JOHNSON, L.B.
HOST, G.E. *see* RICHARDS, C.
HOUSTON, E.S. *see* GRUBAGH, J.W.
HUMPHREY, C.L. *see* CRANSTON, P.S.

IRVINE, K. Food selectivity and diel vertical distribution of *Chaoborus edulis* (Diptera, Chaoboridae) in Lake Malawi, 605

JENSEN, H.S. *see* HANSEN, A.-M.
JOHNSON, L.B. *see* ALLAN, J.D.
JOHNSON, L.B. *see* GAGE, S.H.
JOHNSON, L.B. *see* RICHARDS, C.
JOHNSON, L.B., RICHARDS, C., HOST, G.E. and ARTHUR, J.W. Landscape influences on water chemistry in Midwestern stream ecosystems, 193
JOHNSON, S.L. and COVICH, A.P. Scales of observation of riparian forests and distribution of suspended detritus in a prairie river, 163
JONES, H.L.J. A classification of mixotrophic protists based on their behaviour, 35

KESLER, D.H. and DOWNING, J.A. Internal shell annuli yield inaccurate growth estimates in the freshwater mussels *Elliptio complanata* and *Lampsilis radiata*, 325
KIFFNEY, P.M., LITTLE, E.E. and CLEMENTS, W.H. Influence of ultraviolet-B radiation on the drift response of stream invertebrates, 485
KIRK, K.L. Egg size, offspring quality and food level in planktonic rotifers, 515
KOETSIER, III, P., MCARTHUR, J.V. and LEFF, L.G. Spatial and temporal response of stream bacteria to sources of dissolved organic carbon in a blackwater stream system, 79
KOHLER, S.L. *see* WILEY, M.J.
KOWALCZEWSKI, A. *see* PIJANOWSKA, J.
KRATZ, T.K., WEBSTER, K.E., BOWSER, C.J., MAGNUSON, J.J. and BENSON, B.J. The influence of landscape position on lakes in northern Wisconsin, 209
KUPFERBERG, S. Facilitation of periphyton production by tadpole grazing: functional differences between species, 427

LANCASTER, J. *see* WINTERBOTTOM, J.H.
LAURÉN-MÄÄTTÄ, C. *see* HIETALA, J.
LAURÉN-MÄÄTTÄ, C., HIETALA, J. and WALLS, M. Responses of *Daphnia pulex* populations to toxic cyanobacteria, 635
LEFF, L.G. *see* KOETSIER, III, P.
LITTLE, E.E. *see* KIFFNEY, P.M.

MCARTHUR, J.V. *see* KOETSIER, III, P.
MAGNUSON, J.J. *see* KRATZ, T.K.
MALMQVIST, B. *see* ENGLUND, G.
MARKAGER, S. *see* MIDDELBOE, A.L.
MARMONIER, P. *see* CLARET, C.
MARMONIER, P. *see* DOLE-OLIVIER, M.-J.
MATTHAEI, C.D., UEHLINGER, U. and FRUTIGER, A. Response of benthic invertebrates to natural versus experimental disturbance in a Swiss prealpine river, 61
MIDDELBOE, A.L. and MARKAGER, S. Depth limits and minimum light requirements of freshwater macrophytes, 553
MIHLUC, T.B. The functional trophic role of lotic primary consumers: generalist versus specialist strategies, 455
MJELDE, M. and FAAFENG, B.A. *Ceratophyllum demersum* hampers phytoplankton development in some small Norwegian lakes over a wide range of phosphorous concentrations and geographical latitude, 355

NOLTE, U., DE OLIVEIRA, M.J. and STUR, E. Seasonal, discharge-driven patterns of mayfly assemblages in an intermittent Neotropical stream, 333
NORRIS, R.H. *see* EVANS, L.J.

OBERLIN, G.E. and BLINN, D.W. The affect of temperature on the metabolism and behaviour of an endemic amphipod, *Hyalella montezuma*, from Montezuma Well, Arizona, U.S.A., 55
DE OLIVEIRA, M.J. *see* NOLTE, U.
OLSEN, O. *see* ZAGARESE, H.E.
ORTON, S.E. *see* WINTERBOTTOM, J.H.

PAWSON, T.W. *see* YAN, N.D.
PIERCE, C.L. and HINRICHS, B.D. Response of littoral invertebrates to reduction of fish density: simultaneous experiments in ponds with different fish assemblages, 397
PIJANOWSKA, J. and KOWALCZEWSKI, A. Predators can induce swarming behaviour and locomotory responses in *Daphina*, 649

QUEIMALIÑOS, C. *see* ZAGARESE, H.E.

RAIMOND, R. *see* GRANDJEAN, F.
REEDE, T. Effects of neonate size and food concentration on the life history responses of a clone of the hybrid *Daphnia hyalina* × *galeata* to fish kairomones, 389
RICHARDS, C. *see* JOHNSON, L.B.
RICHARDS, C., HARO, R.J., JOHNSON, L.B. and HOST, G.E. Catchment and reach-scale properties as indicators of macroinvertebrate species traits, 219
RICHTER, B.D., BAUMGARTNER, J.V., WIGINGTON, R. and BRAUN, D.P. How much water does a river need?, 231
RØRSLETT, B., HAWES, I. and SCHWARZ, A.-M. Features of the underwater light climate just below the surface in some New Zealand inland waters, 441
ROSENFELD, J.S. The influence of upstream predation on the expression of fish effects in downstream patches, 535
ROUX, A.L. *see* STATZNER, B.

SÁNCHEZ, J.A. *see* FAUNDEZ, V.

SCARSBROOK, M.R. *see* TOWNSEND, C.R.
SCHWARZ, A.M. *see* RØRSLETT, B.
SCRIMGEOUR, G.J., CASH, K.J. and CULP, J.M. Size-dependent flight initiation by a lotic mayfly in response to a predatory fish, 91
SEELBACH, P.W. *see* WILEY, M.J.
SHAPIRO, J. The role of carbon dioxide in the initiation and maintenance of blue-green dominance in lakes, 307
SILVER BOTTS, P. Spatial pattern, patch dynamics and successional change: chironomid assemblages in a Lake Erie coastal wetland, 277
SOUTY-GROSSET, C. *see* GRANDJEAN, F.
STATZNER, B., CAPRA, H., HIGLER, L.W.G. and ROUX, A.L. Focusing environmental management budgets on non-linear system responses: potential for significant improvements to freshwater ecosystems, 463
STUR, E. *see* NOLTE, U.

THORNE, R.ST.J. and WILLIAMS, W.P. The response of benthic macroinvertebrates to pollution in developing countries: a multimetric system of bioassessment, 671
TOWNSEND, C.R., ARBUCKLE, C.J., CROWL, T.A. and SCARSBROOK, M.R. The relationship between land use and physicochemistry, food resources and macroinvertebrate communities in tributaries of the Taieri River, New Zealand: a hierarchically scaled approach, 177
TOWNSEND, C.R., DOLÉDEC, S. and SCARSBROOK, M.R. Species traits in relation to temporal and spatial heterogeneity in streams: a test of habitat templet theory, 367
TRANVIK, L.J. *see* HANSSON, L.-A.

UEHLINGER, U. *see* MATTHAEI, C.D.

VAIL, T.L. *see* ZAGARESE, H.E.
VÁZQUEZ, E. *see* FAUNDEZ, V.

WALLS, M. *see* HIETALA, J.
WALLS, M. *see* LAUREN-MÄÄTTÄ, C.
WALLACE, J.B. *see* GRUBAGH, J.W.
WEBSTER, K.E. *see* KRATZ, T.K.
WIGINGTON, R. *see* RICHTER, B.D.
WILEY, M.J., KOHLER, S.L. and SEELBACH, P.W. Reconciling landscape and local views of aquatic communities: lessons from Michigan trout streams, 133
WILLIAMS, W.P. *see* THORNE, R.ST.J.
WILLIAMSON, C.E. *see* ZAGARESE, H.E.
WINSTON, M.R. *see* ANGERMEIER, P.L.
WINTERBOTTOM, J.H., ORTON, S.E., HILDREW, A.G. and LANCASTER, J. Field experiments on flow refugia in streams, 569

YAN, N.D. and PAWSON, T.W. Changes in the crustacean zooplankton community of Harp Lake, Canada, following invasion by *Bythotrephes cedestrœmi*, 409

ZAGARESE, H.E., WILLIAMSON, C.E., VAIL, T.L., OLSEN, O. and QUEIMALIÑOS, C. Long-term exposure of *Boeckella gibbosa* (Copepoda, Calanoida) to *in situ* levels of solar UVB radiation, 99
ZHANG, Y. *see* ENGLUND, G.